

ALBA ROLLER ASSEMBLIES

Standard Chain Driven Live Rollers

Part No.	Description	Sprockets	Available Bearings
1912	1.9" diameter x 12 ga. wall, 7/16" hex axles, spring retained	40A18	# MFC-1710-7H, 252 lbs. / bearing # FR-1707-7HDS, 428 lbs. / bearing
1909	1.9" diameter x 9 ga. wall, 7/16" hex axles, spring retained	40A18	# MFC-1710-7H, 252 lbs. / bearing # FR-1707-7HDS, 428 lbs. / bearing
2511	2-1/2" diameter x 11 ga. wall, 11/16" hex axles, spring retained	40A20 40A21 50A18 60A15 60A16	# MFC-2280-11H, 425 lbs. / bearing # FR-2265-11HDS, 1,050 lbs. / bearing # 33W9, ABEC-1, 1,475 lbs. / bearing
2907	2-9/16" diameter x 7 ga. wall, 11/16" hex axles, spring retained	40A21 50A18 60A15 60A16	# MFC-2280-11H, 425 lbs. / bearing # FR-2265-11HDS, 1,050 lbs. / bearing # 0973600, 1,675 lbs. / bearing # 33W9, ABEC-1, 1,475 lbs. / bearing
3509	3-1/2" diameter x 9 ga. wall, 11/16" hex axles, spring retained	60A20	# 2512 / 3500, 290 lbs. / bearing
3530	3-1/2" diameter x .300 wall, 1-1/16" hex axles, pin retained	60A20 80A16	# 1083-2A, 1,250 lbs. / bearing # HDCB0611, 4,750 lbs. / bearing
42543	4-1/4" diameter x 7/16" wall, 1-1/4" hex axles, pin retained	100A15	# B1101-2, 2,250 lbs. / bearing
50750	5" diameter x 3/4" wall, 1-1/2" hex axles, pin retained	100A17 120A15	# B1120-2, 3,750 lbs. / bearing

When ordering please specify the following:

- Part no.
- Sprocket size and number of teeth
- Between frame dimension - (inches)
- Bearing type

Example:

251160A16-24-MFC-2280-11H

Part No. _____

Sprocket size and number of teeth _____

Between Frame Dimension _____

Bearing Type _____

MOVE IT


on Conveyors by ...

Alba

MANUFACTURING, INC.

ALBA ROLLER ASSEMBLIES

Standard Chain Driven Live Roller Drawing:



** See options page for other roller configurations available*

MOVE IT
on Conveyors by ...

Alba

MANUFACTURING, INC.

ALBA ROLLER ASSEMBLIES

Available Roller Assembly Options:

- **ABEC-1 bearings available for 1.9", 2-1/2" and 2-9/16" diameter rollers**
- **Zinc Flo-coated roller tubing available on 2-1/2" diameter X 11 gauge rollers**
- **Zinc plated rollers and axles**
- **Stainless steel rollers, sprockets, bearings and axles**
- **Tapered rollers**
- **Polyurethane roller covers**
- **UHMW sleeves**
- **Rollers with live axles**
- **Pin retained hex axles**
- **Custom configurations**